


# CNC Mill Machining Parameters

The machining parameters in these tables have been prepared for and tested on the Tormach PCNC mills in the Elko Engineering Garage. Download the documents to access the built in calculator.

## General Use Machining Parameters

### Machining Parameter Calculation



### Machine Inputs

#### Speed

- S [RPM] (revolutions per minute)
- Rotational speed of the spindle.

#### Feed

- F [in./min. or mm/min.]
- Linear speed that the cutting tool moves during cutting operations.

### Calculations

#### Surface Speed to Speed

Imperial	$S = \text{SFM} / ((D / 12) * \pi)$
Metric	$S = \text{SFM} / (D / 1000) * \pi$

### Tool Parameters

#### Diameter

- D [in. or mm]
- The outside diameter (OD) of the cutting tool.

#### Number of Flutes

- N (integer)
- The number of cutting edges on the tool.

### Machining Parameters

#### Depth of Cut

- DOC [in. or mm] (< 200% D)
- Axial depth of tool removing material.

#### Width of Cut

- WOC [in. or mm] (5% D < WOC < 95% D)
- Radial width of tool removing material.

#### Surface Speed

- SFM [ft/min. or m/min.] (surface feet per minute)
- Linear speed at the tool cutting edge.

#### Chipload

- FPT [in. or mm] (feed per tooth)
- The distanced advanced by the tool between cutting edges.

#### Chipload (Drilling and Plunging)

- FPR [in. or mm] (feed per revolution)
- The Z-axis distanced advanced by the tool each revolution.

#### Chipload to Feed

Milling	$F = S * \text{FPT} * N$
Drilling and Plunging	$F_p = S * \text{FPR}$